

**National Health and Nutrition Examination Survey  
Codebook for Data Release (1999-2000)**

**NHANES Composite International Diagnostic Interview -  
Panic Disorder Module (CIQPANIC)**

**Person level data -- use CIDI Weights for analysis**

**February 2005**

<b>SEQN</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Respondent sequence number
<b>English Text:</b> Respondent sequence number.	
<b>English Instructions:</b>	

<b>WTSCI2YR</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI Subsample 2 year MEC Weight
<b>English Text:</b> CIDI Subsample 2 year MEC Weight	
<b>English Instructions:</b>	

<b>WTSCI4YR</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI Subsample 4 Year MEC Weight
<b>English Text:</b> CIDI Subsample 4 Year MEC Weight	
<b>English Instructions:</b>	

<b>WTSCI01</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 1
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 1	
<b>English Instructions:</b>	

<b>WTSCI02</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 2
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 2	
<b>English Instructions:</b>	

<b>WTSCI03</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 3
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 3	
<b>English Instructions:</b>	

<b>WTSCI04</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 4
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 4	
<b>English Instructions:</b>	

<b>WTSCI05</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 5
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 5	
<b>English Instructions:</b>	

<b>WTSCI06</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 6
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 6	
<b>English Instructions:</b>	

<b>WTSCI07</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 7
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 7	
<b>English Instructions:</b>	

<b>WTSCI08</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 8
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 8	
<b>English Instructions:</b>	

<b>WTSCI09</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 9
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 9	
<b>English Instructions:</b>	

<b>WTSCI10</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 10
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 10	
<b>English Instructions:</b>	

<b>WTSCI11</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 11
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 11	
<b>English Instructions:</b>	

<b>WTSCI12</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 12
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 12	
<b>English Instructions:</b>	

<b>WTSCI13</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 13
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 13	
<b>English Instructions:</b>	

<b>WTSCI14</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 14
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 14	
<b>English Instructions:</b>	

<b>WTSCI15</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 15
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 15	
<b>English Instructions:</b>	

<b>WTSCI16</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 16
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 16	
<b>English Instructions:</b>	

<b>WTSCI17</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 17
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 17	
<b>English Instructions:</b>	

<b>WTSCI18</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 18
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 18	
<b>English Instructions:</b>	

<b>WTSCI19</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 19
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 19	
<b>English Instructions:</b>	

<b>WTSCI20</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 20
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 20	
<b>English Instructions:</b>	

<b>WTSCI21</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 21
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 21	
<b>English Instructions:</b>	

<b>WTSCI22</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 22
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 22	
<b>English Instructions:</b>	

<b>WTSCI23</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 23
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 23	
<b>English Instructions:</b>	

<b>WTSCI24</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 24
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 24	
<b>English Instructions:</b>	

<b>WTSCI25</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 25
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 25	
<b>English Instructions:</b>	

<b>WTSCI26</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 26
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 26	
<b>English Instructions:</b>	

<b>WTSCI27</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 27
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 27	
<b>English Instructions:</b>	

<b>WTSCI28</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 28
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 28	
<b>English Instructions:</b>	

<b>WTSCI29</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 29
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 29	
<b>English Instructions:</b>	

<b>WTSCI30</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 30
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 30	
<b>English Instructions:</b>	

<b>WTSCI31</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 31
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 31	
<b>English Instructions:</b>	

<b>WTSCI32</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 32
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 32	
<b>English Instructions:</b>	

<b>WTSCI33</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 33
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 33	
<b>English Instructions:</b>	

<b>WTSCI34</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 34
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 34	
<b>English Instructions:</b>	

<b>WTSCI35</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 35
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 35	
<b>English Instructions:</b>	

<b>WTSCI36</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 36
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 36	
<b>English Instructions:</b>	



<b>WTSCI37</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 37
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 37	
<b>English Instructions:</b>	

<b>WTSCI38</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 38
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 38	
<b>English Instructions:</b>	

<b>WTSCI39</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 39
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 39	
<b>English Instructions:</b>	

<b>WTSCI40</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 40
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 40	
<b>English Instructions:</b>	

<b>WTSCI41</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 41
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 41	
<b>English Instructions:</b>	

<b>WTSCI42</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 42
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 42	
<b>English Instructions:</b>	

<b>WTSCI43</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 43
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 43	
<b>English Instructions:</b>	

<b>WTSCI44</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 44
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 44	
<b>English Instructions:</b>	

<b>WTSCI45</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 45
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 45	
<b>English Instructions:</b>	

<b>WTSCI46</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 46
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 46	
<b>English Instructions:</b>	

<b>WTSCI47</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 47
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 47	
<b>English Instructions:</b>	

<b>WTSCI48</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 48
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 48	
<b>English Instructions:</b>	

<b>WTSCI49</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 49
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 49	
<b>English Instructions:</b>	

<b>WTSCI50</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 50
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 50	
<b>English Instructions:</b>	

<b>WTSCI51</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 51
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 51	
<b>English Instructions:</b>	

<b>WTSCI52</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CIDI MEC Weight Jack Knife Rep 52
<b>English Text:</b> Adult Mental Health MEC Weight Jack Knife Rep 52	
<b>English Instructions:</b>	

<b>CIAORDER</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Order in which CIDI modules are asked
<b>English Text:</b> Order in which CIDI modules are asked	
<b>English Instructions:</b>	
<b>Codes:</b> 0= Panic, GAD, Depression 1= Depression, Panic, GAD	
<b>Skip To Values:</b>	

<b>CIQP01</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Entire life, ever fear or panic attack?
<b>English Text:</b> (READ SLOWLY) In your entire lifetime, have you ever had an attack of fear or panic when all of a sudden you felt frightened, anxious or uneasy?	
<b>English Instructions:</b> (THIS IS THE INTRO FOR THE 50% WHO START WITH PANIC: The next questions are about emotional problems that many people have. The first question is about sudden attacks of being frightened, anxious, or very uneasy. Some people call these "panic attacks.")  ( THIS IS THE INTRO FOR THE 50% WHO START WITH DEPRESSION AND THEN GO TO PANIC AND GAD: The next questions are about different sorts of feelings. The first one is about sudden attacks of being frightened, anxious, or very uneasy. Some people call these "panic attacks." (Collection name = D54)	
<b>Codes:</b> 1= Yes 2= No	
<b>Skip To Values:</b> CIQP03	

7= Refuse  
9= Don't know

<b>CIQP02</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Ever attack for no reason, out of blue?
<b>English Text:</b> Another kind of attack is when all of a sudden your heart begins to race, or you feel dizzy or faint, or you can't catch your breath. I'm not talking about a heart attack or some other attack caused by physical illness or medication or drugs, but about an attack that occurs for no apparent physical reason, just out of the blue. Have you ever had an attack like this?	
<b>English Instructions:</b> (Collection name = D54_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>  CIDPSCOR CIDPSCOR CIDPSCOR

<b>CIQP03</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Panic attack past 12 months?
<b>English Text:</b> Have you had an attack like this in the past 12 months?	
<b>English Instructions:</b> (Collection name = D54A)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>

<b>CIQP04</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>

	Past 12 mos, avoided situations bc fear?
<b>English Text:</b> In the past 12 months was there a month or more when you avoided certain situations or changed your everyday activities because of fear of the attacks?	
<b>English Instructions:</b> (Collection name = D54D)	
<b>Codes:</b> 1= Yes 2= No 7= Refuse 9= Don't know	<b>Skip To Values:</b>  CIQP06 CIQP06 CIQP06

<b>CIQP05</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	How recently avoided situations bc fear?
<b>English Text:</b> How recently have you avoided certain situations or changed your activities because of this fear in the past month, past six months or more than six months ago?	
<b>English Instructions:</b> (Collection name = D54D_1)	
<b>Codes:</b> 1= Past Month 2= Past 6 Months 3= Over 6 Months 7= Refused 9= Don't know	<b>Skip To Values:</b>  CIQP11 CIQP11 CIQP11 CIQP11 CIQP11

<b>CIQP06</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Past 12 mos, month + fear another?
<b>English Text:</b> In the past 12 months was there a month or more when you were often concerned that you might have another attack?	
<b>English Instructions:</b> (Collection name = D54B)	
<b>Codes:</b> 1= Yes	<b>Skip To Values:</b>

2= No	CIQP08
7= Refused	CIQP08
9= Don't know	CIQP08

CIQP07	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	How recently have concern?
<b>English Text:</b> How recently did you have this ongoing concern in the past month, past six months or more than six months ago?	
<b>English Instructions:</b> (Collection name = D54B_1)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Past Month	CIQP11
2= Past 6 Months	CIQP11
3= Over 6 Months	CIQP11
7= Refused	CIQP11
9= Don't know	CIQP11

CIQP08	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Past 12 mos, attacks lead to terrible?
<b>English Text:</b> In the past 12 months was there a month or more when you were concerned that the attacks might lead to something terrible happening, like dying, losing control, or going crazy?	
<b>English Instructions:</b> (Collection name = D54C)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	CIQP10ZZ
7= Refused	CIQP10ZZ
9= Don't know	CIQP10ZZ

CIQP09	Target
	B(20 Yrs. to 39 Yrs.)

Hard Edits	SAS Label
	How recently have concern?
<b>English Text:</b> How recently did you have this ongoing concern in the past month, past six months or more than six months ago?	
<b>English Instructions:</b> (Collection name = D54C_1)	
<b>Codes:</b> 1= Past Month 2= Past 6 Months 3= Over 6 Months 7= Refused 9= Don't know	<b>Skip To Values:</b> CIQP11 CIQP11 CIQP11 CIQP11 CIQP11

CIQP10ZZ	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> CHECK ITEM: IF CIQP03 = YES, CONTINUE. ELSE GO TO CIDPSCOR	

CIQP11	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Ever attacks life-threatening?
<b>English Text:</b> Did any of your attacks ever occur when you were in a life-threatening situation?	
<b>English Instructions:</b> (Collection name = D55)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>  CIQP13A

CIQP12	Target
--------	--------



	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Ever attacks not life-threatening?
<b>English Text:</b> Did any of your attacks occur when you were NOT in a life-threatening situation?	
<b>English Instructions:</b> (Collection name = D55A)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>CIQP13A</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did your heart pound or race?
<b>English Text:</b> Did your heart pound or race? (heart racing)	
<b>English Instructions:</b> (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12= (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have? (Collection name = D57_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>CIQP13B</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you sweat?
<b>English Text:</b> Did you sweat ? (sweating)	
<b>English Instructions:</b> (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most	

recent bad attack you had. During that attack, which of these problems did you have?  
(Collection name = D57\_2)

**Codes:**

1= Yes  
2= No  
7= Refused  
9= Don't know

**Skip To Values:**

<b>CIQP13C</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you tremble or shake?

**English Text:** Did you tremble or shake? (trembling)

**English Instructions:** (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?  
(Collection name = D57\_3)

**Codes:**

1= Yes  
2= No  
7= Refused  
9= Don't know

**Skip To Values:**

<b>CIQP13D</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you have dry mouth?

**English Text:** Did you have dry mouth? (having dry mouth)

**English Instructions:** (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?  
(Collection name = D57\_4)

**Codes:**

1= Yes  
2= No

**Skip To Values:**

7= Refused  
9= Don't know

<b>CIQP13E</b>	<b>Target</b>		
	B(20 Yrs. to 39 Yrs.)		
<b>Hard Edits</b>	<b>SAS Label</b>		
	Were you short of breath?		
<b>English Text:</b> Were you short of breath? (being short of breath)			
<b>English Instructions:</b> (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have? (Collection name = D57_5)			
<table><tr><td><b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know</td><td><b>Skip To Values:</b></td></tr></table>		<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>		

<b>CIQP13F</b>	<b>Target</b>		
	B(20 Yrs. to 39 Yrs.)		
<b>Hard Edits</b>	<b>SAS Label</b>		
	Feel like you were choking?		
<b>English Text:</b> Did you feel like you were choking? (choking)			
<b>English Instructions:</b> (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have? (Collection name = D57_6)			
<table><tr><td><b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know</td><td><b>Skip To Values:</b></td></tr></table>		<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>		

<b>CIQP13G</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)

<b>Hard Edits</b>	<b>SAS Label</b>
	Pain or discomfort in chest?
<b>English Text:</b> Did you have pain or discomfort in your chest? (having discomfort in your chest)	
<b>English Instructions:</b> (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have? (Collection name = D57_7)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>CIQP13H</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Nausea or discomfort in stomach?
<b>English Text:</b> Did you have pain or discomfort in your stomach? (having nausea)	
<b>English Instructions:</b> (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have? (Collection name = D57_8)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>CIQP13I</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Were you dizzy or feeling faint?
<b>English Text:</b> Were you dizzy or feeling faint? (feeling dizzy)	
<b>English Instructions:</b> (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12=	

(YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?  
(Collection name = D57\_9)

**Codes:**

1= Yes  
2= No  
7= Refused  
9= Don't know

**Skip To Values:**

<b>CIQP13J</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you feel unreal?

**English Text:** Did you feel that you were unreal? (feeling unreal)

**English Instructions:** (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?  
(Collection name = D57\_10\_M)

**Codes:**

1= Yes  
2= No  
7= Refused  
9= Don't know

**Skip To Values:**

<b>CIQP13K</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Feel things around you unreal?

**English Text:** Did you feel that things around you were unreal? (feeling that things around you were unreal)

**English Instructions:** (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12= (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have?  
(Collection name = D57\_10\_A)

**Codes:**

**Skip To Values:**

1= Yes  
2= No  
7= Refused  
9= Don't know

<b>CIQP13L</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Afraid you might lose control?
<b>English Text:</b> Were you afraid that you might lose control of yourself or act in a crazy way? (fearing that you might lose control of yourself)	
<b>English Instructions:</b> (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have? (Collection name = D57_11)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>CIQP13M</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Afraid you might pass out?
<b>English Text:</b> Were you afraid that you might pass out? (fearing that you might pass out)	
<b>English Instructions:</b> (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have? (Collection name = D57_11A)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>CIQP13N</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Afraid you might die?
<b>English Text:</b> Were you afraid that you might die? (fearing that you might die)	
<b>English Instructions:</b> (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12= (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have? (Collection name = D57_12)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	
<b>Skip To Values:</b>	

<b>CIQP13O</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Have hot flashes or chills?
<b>English Text:</b> Did you have hot flashes or chills? (having hot flashes)	
<b>English Instructions:</b> (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have? (Collection name = D57_13)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	
<b>Skip To Values:</b>	

<b>CIQP13P</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Have numbness or tingling?

**English Text:** Did you have numbness or tingling? (having numbness)

**English Instructions:** (IVR: HAND CARD A TO R.) (READ ONLY IF CIQP12 = (YES, DK, REF) In answering the next questions, think only of the attacks that occurred when you were NOT in a life-threatening situation. Look at this card. Think of the most recent bad attack you had. During that attack, which of these problems did you have? (Collection name = D57\_14)

**Codes:**

1= Yes

2= No

7= Refused

9= Don't know

**Skip To Values:**

<b>CIQP13ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> Check Item: IF FEWER THAN TWO YES RESPONSES IN CIQP13 SERIES, GO TO CIDPSCOR. ELSE CONTINUE WITH CIQP14.	

<b>CIQP14</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. attacks w/symptoms in lifetime?
<b>English Text:</b> About how many attacks (IF CIQP01 = YES: of fear or panic) when you also had some of these symptoms we just talked about have you had in your ENTIRE LIFETIME?	
<b>English Instructions:</b> IF RESPONSE > 900, ENTER 900. IF RESPONSE = DK ENTER 9999. IF RESPONSE = REF, ENTER 7777 NUMBER OF ATTACKS (Collection name = D59)	
<b>Codes:</b>	
900= 900 +	
7777= Refused	
9999= Don't know	
<b>Skip To Values:</b>	

<b>CIQP15</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)





9= Don't know	CIQP20
---------------	--------

<b>CIQP17</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Remember age when attack occurred?
<b>English Text:</b> Can you remember your EXACT age when your attack occurred?	
<b>English Instructions:</b> (Collection name = D59_2)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>  CIQP19 CIQP19 CIQP19

<b>CIQP18</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Exact age when attack occurred
<b>English Text:</b> Exact age when attack occurred?	
<b>English Instructions:</b> (IF NEC: How old were you?) (IF RESPONSE = REF, ENTER 7777. YEARS OF AGE (Collection name = D59_2A)	
<b>Codes:</b> 7777= Refused 9999= Don't know	<b>Skip To Values:</b>  

<b>CIQP18ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> Go to CIQP20	

<b>CIQP19</b>	<b>Target</b>
---------------	---------------

	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Approx age when attack occurred
<b>English Text:</b> ABOUT how old were you?	
<b>English Instructions:</b> YEARS OF AGE (IF RESPONSE = DK, ENTER 9999. IF RESPONSE = REF, ENTER 7777) (Collection name = D59_2B)	
<b>Codes:</b> 7777= Refused 9999= Don't know	<b>Skip To Values:</b>

<b>CIQP20</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Which of three situations occurred?
<b>English Text:</b> Attacks of this sort can occur in three different situations. The first are when they occur "out of the blue" for no reason. The second are when they occur in situations where a person has an unreasonably strong fear. For example, some people have a terrible fear of bugs or heights or being in a crowd. The third are situations where a person is in real danger, like a car accident or bank robbery. In which of these kinds of situations did your attack occur?	
<b>English Instructions:</b> (IF NEC: out of the blue, in a situation where you had unreasonably strong fear, or in a situation of real danger) (Collection name = D59_2C)	
<b>Codes:</b> 1= Out of the blue 2= A situation where R had an unreasonably 3= A situation of real danger 7777= Refused 9999= Don't know	<b>Skip To Values:</b> CIQP58  CIQP58 CIQP58 CIQP58

<b>CIQP21A</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Giving a speech
<b>English Text:</b> Giving a speech	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD	

MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)

(Collection name = D59\_2D)

**Codes:**

1= Fear: Giving a speech  
77= Refused  
99= Don't know

**Skip To Values:**

<b>CIQP21B</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Party or social event

**English Text:** Fear: Party or social event

**English Instructions:** (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)

(Collection name = D59\_2D)

**Codes:**

2= Fear: Party or social event

**Skip To Values:**

<b>CIQP21C</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Being in a crowd

**English Text:** Fear: Being in a crowd

**English Instructions:** (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)

(Collection name = D59\_2D)

**Codes:**

3= Fear: Being in a crowd

**Skip To Values:**

<b>CIQP21D</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Meeting new people
<b>English Text:</b> Fear: Meeting new people	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.) (Collection name = D59_2D)	
<b>Codes:</b> 4= Fear: Meeting new people	<b>Skip To Values:</b>

<b>CIQP21E</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Being outside, away
<b>English Text:</b> Fear: Being outside, away	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.) (Collection name = D59_2D)	
<b>Codes:</b> 5= Fear: Being outside, away	<b>Skip To Values:</b>

<b>CIQP21F</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Traveling bus, train, car
<b>English Text:</b> Fear: Traveling bus, train, car	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)	

(Collection name = D59_2D)	
<b>Codes:</b> 6= Fear: Traveling bus, train, car	<b>Skip To Values:</b>

<b>CIQP21G</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Crowd, standing in line
<b>English Text:</b> Fear: Crowd, standing in line	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.) (Collection name = D59_2D)	
<b>Codes:</b> 7= Fear: Crowd, standing in line	<b>Skip To Values:</b>

<b>CIQP21H</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Being in a public place
<b>English Text:</b> Fear: Being in a public place	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.) (Collection name = D59_2D)	
<b>Codes:</b> 8= Fear: Being in a public place	<b>Skip To Values:</b>

<b>CIQP21I</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Animals
<b>English Text:</b> Fear: Animals	

**English Instructions:** (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)

(Collection name = D59\_2D)

**Codes:**

9= Fear: Animals

**Skip To Values:**

<b>CIQP21J</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Heights

**English Text:** Fear: Heights

**English Instructions:** (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)

(Collection name = D59\_2D)

**Codes:**

10= Fear: Heights

**Skip To Values:**

<b>CIQP21K</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Storms, thunder, lightening

**English Text:** Fear: Storms, thunder, lightening

**English Instructions:** (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)

(Collection name = D59\_2D)

**Codes:**

11= Fear: Storms, thunder, lightening

**Skip To Values:**

<b>CIQP21L</b>	<b>Target</b>
----------------	---------------

	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Flying
<b>English Text:</b> Fear: Flying	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.) (Collection name = D59_2D)	
<b>Codes:</b> 12= Fear: Flying	<b>Skip To Values:</b>

<b>CIQP21M</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Closed spaces
<b>English Text:</b> Fear: Closed spaces	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.) (Collection name = D59_2D)	
<b>Codes:</b> 13= Fear: Closed spaces	<b>Skip To Values:</b>

<b>CIQP21N</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Fear: Seeing blood
<b>English Text:</b> Fear: Seeing blood	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.) (Collection name = D59_2D)	



<b>Codes:</b> 14= Fear: Seeing blood	<b>Skip To Values:</b>
---	------------------------

<b>CIQP21O</b>	<b>Target</b> B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b> Fear: Getting an injection
<b>English Text:</b> Fear: Getting an injection	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.) (Collection name = D59_2D)	
<b>Codes:</b> 15= Fear: Getting an injection	<b>Skip To Values:</b>

<b>CIQP21P</b>	<b>Target</b> B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b> Fear: Going to the dentist
<b>English Text:</b> Fear: Going to the dentist	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.) (Collection name = D59_2D)	
<b>Codes:</b> 16= Fear: Going to the dentist	<b>Skip To Values:</b>

<b>CIQP21Q</b>	<b>Target</b> B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b> Fear: Going to a hospital
<b>English Text:</b> Fear: Going to a hospital	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD	

MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.)  
(Collection name = D59\_2D)

**Codes:**

17= Fear: Going to a hospital

**Skip To Values:**

CIQP21R	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Fear: Other 1
<b>English Text:</b> Fear: Other 1	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.) (Collection name = D59_2D)	
<b>Codes:</b>	
18= Fear: Other 1	
<b>Skip To Values:</b>	

CIQP21S	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Fear: Other 2
<b>English Text:</b> Fear: Other 2	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.) (Collection name = D59_2D)	
<b>Codes:</b>	
19= Fear: Other 2	
<b>Skip To Values:</b>	

CIQP21T	Target
	B(20 Yrs. to 39 Yrs.)

Hard Edits	SAS Label
	Fear: Other 3
<b>English Text:</b> Fear: Other 3	
<b>English Instructions:</b> (IF NEC: What was the situation?) FIELD CODE. RECORD MULTIPLE MENTIONS. (Can - Set this up so that the interviewer can check off as many categories as they want. Don't restrict them to only being able to check one. Note that the last categories should be ones where they check the category and then enter an open-ended response.) (Collection name = D59_2D)	
<b>Codes:</b> 20= Fear: Other 3	<b>Skip To Values:</b>

CIQP21ZZ	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> Go to CIQP58	

CIQP23	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Exact age when attack occurred
<b>English Text:</b> Can you remember your exact age the very first time you had one of these attacks?	
<b>English Instructions:</b> (Collection name = D60)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>  CIQP28 CIQP28 CIQP28

CIQP24	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label

	Years of age attack occurred
<b>English Text:</b> (IF NEC: How old were you?) (IF RESPONSE = REF, ENTER 99) _____ YEARS OF AGE	
<b>English Instructions:</b> (Collection name = D60A)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQP24ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQP24 = CURRENT AGE, GO TO CIQP25 ELSE IF CIQP24 = (CURRENT AGE - 1), GO TO CIQP26. ELSE GO TO CIQP30ZZ.	

<b>CIQP25</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	When did attack occur?
<b>English Text:</b> Was that first attack in the past month, past six months, or more than six months ago?	
<b>English Instructions:</b> (Collection name = D60A_1)	
<b>Codes:</b> 1= Past Month 2= Past 6 Months 3= More than 6 months 7= Refused 9= Don't know	<b>Skip To Values:</b> CIQP30ZZ CIQP30ZZ CIQP30ZZ CIQP30ZZ CIQP30ZZ

<b>CIQP26</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Attack in past 12 months, or more?

<b>English Text:</b> Was that first attack in the past 12 months or more than 12 months ago?	
<b>English Instructions:</b> (Collection name = D60A_2)	
<b>Codes:</b> 1= Past 12 months 2= More than 12 months 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>CIQP27</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	When did attack occur?
<b>English Text:</b> Was that first attack in the past month, past six months, or more than six months ago?	
<b>English Instructions:</b> (Collection name = D60A_3)	
<b>Codes:</b> 1= Past month 2= Past 6 months 3= More than 6 months 7= Refused 9= Don't know	<b>Skip To Values:</b> CIQP30ZZ CIQP30ZZ CIQP30ZZ CIQP30ZZ CIQP30ZZ

<b>CIQP28</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Approx age when attack occurred
<b>English Text:</b> About how old were you the first time?	
<b>English Instructions:</b> YEARS OF AGE (Collection name = D60B)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQP29</b>	<b>Target</b>
---------------	---------------

	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Earliest age attack occurred
<b>English Text:</b> What's the earliest age you can clearly remember a particular time when you had one of these attacks?	
<b>English Instructions:</b> YEARS OF AGE (Collection name = D60C)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQP30ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQP03 = YES, GO TO CIQP32. ELSE GO TO CIQP31.	

<b>CIQP31</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Age last time had attack
<b>English Text:</b> How old were you the last time you had one of these attacks?	
<b>English Instructions:</b> YEARS OF AGE (Collection name = D60D)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQP32</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. attacks lifetime out of the blue
<b>English Text:</b> Attacks of this sort can occur in three different situations. The first are when they occur "out of the blue" for no reason. The second are when they occur in situations where a person has an unreasonably strong fear. For example, some people	

have a terrible fear of bugs or heights or being in a crowd. The third are situations where a person is in real danger, like a car accident or a bank robbery. The next question is about how many of your (# FROM CIQP14) attacks occurred in each of these three kinds of situations. First, in your lifetime, about how many attacks have you had "out of the blue" for no reason?

**English Instructions:** NUMBER OF ATTACKS  
(Collection name = D59A)

**Codes:**

900= 900 +

7777= Refused

9999= Don't know

**Skip To Values:**

CIQP32ZZ	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	CHECK ITEM

**English Text:**

**English Instructions:** IF CIQP32 = 0 GO TO CIQP36. IF CIQP32 =1 and CIQP03 =1, GO TO CIQP33. If CIQP32(>1, DK, REF) and CIQP03 =1, GO TO CIQP34. ELSE GO TO CIQP35ZZ.

CIQP33	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Out of the blue attack past 12 months?

**English Text:** Did that out of the blue attack occur in the past 12 months?

**English Instructions:**

(Collection name = D59A\_1)

**Codes:**

1= Yes

2= No

7= Refused

9= Don't know

**Skip To Values:**

CIQP35ZZ

CIQP35ZZ

CIQP35ZZ

CIQP35ZZ

CIQP34	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label

	No. attacks past 12 months?
<b>English Text:</b> About how many of these (# FROM CIQP32) out of the blue attacks occurred in the past 12 months?	
<b>English Instructions:</b> (Collection name = D59A_2)	
<b>Codes:</b> 900= 900 + 7777= Refused 9999= Don't know	<b>Skip To Values:</b>

<b>CIQP35ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> CHECKPOINT: IF CIQP32 = CIQP14 GO TO CIQP48ZZ (Collection name = D59A_3)	

<b>CIQP36</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. attacks lifetime strong fear
<b>English Text:</b> And about how many attacks in your lifetime occurred in situations where you had an unreasonably strong fear of something about the situation?	
<b>English Instructions:</b> NUMBER OF ATTACKS (Collection name = D59B)	
<b>Codes:</b> 900= 900 + 7777= Refused 9999= Don't know	<b>Skip To Values:</b>

<b>CIQP36ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	



**English Instructions:** IF CIQP36 = 0 GO TO CIQP40. IF CIQP36 =1 and CIQP03 =1, GO TO CIQP37. If CIQP36(>1, DK, REF) and CIQP03 =1, GO TO CIQP38. ELSE GO TO CIQP39ZZ.

<b>CIQP37</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Attack in past 12 months?
<b>English Text:</b> Did that attack occur in the past 12 months?	
<b>English Instructions:</b> (Collection name = D59B_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> CIQP39ZZ CIQP39ZZ CIQP39ZZ CIQP39ZZ

<b>CIQP38</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. attacks past 12 months?
<b>English Text:</b> About how many of these (# FROM CIQP36) attacks occurred in the past 12 months?	
<b>English Instructions:</b> NUMBER OF ATTACKS (Collection name = D59B_2)	
<b>Codes:</b> 900= 900 + 7777= Refused 9999= Don't know	<b>Skip To Values:</b>

<b>CIQP39ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQP36 = CIQP14 GO TO CIQP43ZZ	

<b>CIQP40</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. attacks lifetime real danger
<b>English Text:</b> And how many attacks in your lifetime have you had in situations where you were in real danger?	
<b>English Instructions:</b> NUMBER OF ATTACKS (Collection name = D59C)	
<div> <b>Codes:</b> <div> 900= 900 +  7777= Refused  9999= Don't know </div> </div> <div> <b>Skip To Values:</b> </div>	

<b>CIQP40ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQP40 = 0 GO TO CIQP43ZZ. IF CIQP40=1 and CIQP03 =1, GO TO CIQP41. If CIQP40(>1, DK, REF) and CIQP03=1, GO TO CIQP42. ELSE GO TO CIQP43ZZ.	

<b>CIQP41</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Attack in past 12 months?
<b>English Text:</b> Did that attack where you were in real danger occur in the past 12 months?	
<b>English Instructions:</b> (Collection name = D59C_2)	
<div> <b>Codes:</b> <div> 1= Yes  2= No  7= Refused  9= Don't know </div> </div> <div> <b>Skip To Values:</b> <div> CIQP43ZZ  CIQP43ZZ  CIQP43ZZ  CIQP43ZZ </div> </div>	

<b>CIQP42</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. attacks past 12 months
<b>English Text:</b> About how many of these (# FROM CIQP40) attacks where you were in real danger occurred in the past 12 months?	
<b>English Instructions:</b> NUMBER OF ATTACKS (Collection name = D59C_3)	
<b>Codes:</b> <div> 900= 900 +  7777= Refused  9999= Don't know </div> <b>Skip To Values:</b>	

<b>CIQP43ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQP36 = 1 OR MORE, CONTINUE. ELSE GO TO CIQP48ZZ	

<b>CIQP44A</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Giving a speech
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELD CODE. RECORD MULTIPLE MENTIONS. (Collection name = D59D)	
<b>Codes:</b> <div> 1= Strong Fear: giving speech  77= Refused  99= Don't know </div> <b>Skip To Values:</b>	

<b>CIQP44B</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Party or social event
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELD CODE. RECORD MULTIPLE MENTIONS. (Collection name = D59D)	
<b>Codes:</b> 2= Strong Fear: Party or social event	
<b>Skip To Values:</b>	

<b>CIQP44C</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Being in a crowd
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELD CODE. RECORD MULTIPLE MENTIONS. (Collection name = D59D)	
<b>Codes:</b> 3= Strong Fear: Being in a crowd	
<b>Skip To Values:</b>	

<b>CIQP44D</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Meeting new people
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELD CODE. RECORD MULTIPLE MENTIONS. (Collection name = D59D)	
<b>Codes:</b>	
<b>Skip To Values:</b>	

4= Strong Fear: Meeting new people

<b>CIQP44E</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Being outside, away
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELDCODE. RECORD MULTIPLE MENTIONS. (Collection name = D59D)	
<b>Codes:</b> 5= Strong Fear: Being outside, away	<b>Skip To Values:</b>

<b>CIQP44F</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Traveling bus, train, car
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELDCODE. RECORD MULTIPLE MENTIONS. (Collection name = D59D)	
<b>Codes:</b> 6= Strong Fear: Traveling bus, train, car	<b>Skip To Values:</b>

<b>CIQP44G</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Crowd, standing in line
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELDCODE. RECORD MULTIPLE MENTIONS.	

(Collection name = D59D)	
<b>Codes:</b> 7= Strong Fear: Crowd, standing in line	<b>Skip To Values:</b>

<b>CIQP44H</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Being in a public place
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELDCODE. RECORD MULTIPLE MENTIONS. (Collection name = D59D)	
<b>Codes:</b> 8= Strong Fear: Being in a public place	<b>Skip To Values:</b>

<b>CIQP44I</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Animals
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELDCODE. RECORD MULTIPLE MENTIONS. (Collection name = D59D)	
<b>Codes:</b> 9= Strong Fear: Animals	<b>Skip To Values:</b>

<b>CIQP44J</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Heights
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations	

were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)

**English Instructions:** FIELD CODE. RECORD MULTIPLE MENTIONS.  
(Collection name = D59D)

**Codes:**

10= Strong Fear: Heights

**Skip To Values:**

<b>CIQP44K</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Storms, thunder, lightning

**English Text:** (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)

**English Instructions:** FIELD CODE. RECORD MULTIPLE MENTIONS.  
(Collection name = D59D)

**Codes:**

11= Strong Fear: Storms, thunder, lightning

**Skip To Values:**

<b>CIQP44L</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Flying

**English Text:** (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)

**English Instructions:** FIELD CODE. RECORD MULTIPLE MENTIONS.  
(Collection name = D59D)

**Codes:**

12= Strong Fear: Flying

**Skip To Values:**

<b>CIQP44M</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Closed spaces

**English Text:** (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)

**English Instructions:** FIELD CODE. RECORD MULTIPLE MENTIONS.  
(Collection name = D59D)

**Codes:**

13= Strong Fear: Closed spaces

**Skip To Values:**

CIQP44N	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Strong Fear: Seeing blood

**English Text:** (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)

**English Instructions:** FIELD CODE. RECORD MULTIPLE MENTIONS.  
(Collection name = D59D)

**Codes:**

14= Strong Fear: Seeing blood

**Skip To Values:**

CIQP44O	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Strong Fear: Getting an injection

**English Text:** (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)

**English Instructions:** FIELD CODE. RECORD MULTIPLE MENTIONS.  
(Collection name = D59D)

**Codes:**

15= Strong Fear: Getting an injection

**Skip To Values:**

CIQP44P	Target
	B(20 Yrs. to 39 Yrs.)



Hard Edits	SAS Label
	Strong Fear: Going to the dentist
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELDCODE. RECORD MULTIPLE MENTIONS. (Collection name = D59D)	
<b>Codes:</b> 16= Strong Fear: Going to the dentist	<b>Skip To Values:</b>

CIQP44Q	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Strong Fear: Going to a hospital
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELDCODE. RECORD MULTIPLE MENTIONS. (Collection name = D59D)	
<b>Codes:</b> 17= Strong Fear: Going to a hospital	<b>Skip To Values:</b>

CIQP44R	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Strong Fear: Other 1
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELDCODE. RECORD MULTIPLE MENTIONS. (Collection name = D59D)	
<b>Codes:</b> 18= Strong Fear: Other 1	<b>Skip To Values:</b>

<b>CIQP44S</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Other 2
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELD CODE. RECORD MULTIPLE MENTIONS. (Collection name = D59D)	
<b>Codes:</b> 19= Strong Fear: Other 2	<b>Skip To Values:</b>

<b>CIQP44T</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Strong Fear: Other 3
<b>English Text:</b> (SHOW CARD B) You had (about) (# FROM CIQP36) attack(s) in (a) situation(s) where you had an unreasonably strong fear of something about the situation. This card lists common situations of this sort. Briefly, which of these or other situations were associated with your (# FROM CIQP36) attack(s)? (PROBE: Any other situations?)	
<b>English Instructions:</b> FIELD CODE. RECORD MULTIPLE MENTIONS. (Collection name = D59D)	
<b>Codes:</b> 20= Strong Fear: Other 3	<b>Skip To Values:</b>

<b>CIQP48ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQP03 = NO, GO TO CIQP58 ELSE IF (CIQP33=1 or CIQP34>=1 or CIQP37=1 or CIQP38>=1) GO TO CIQP49 ELSE GO TO CIQP58	

<b>CIQP49</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>

	Recency of fear or out of the blue
<b>English Text:</b> How recently did you have an attack that occurred either in a frightening situation or out of the blue -- in the past month, past six months, or more than six months ago?	
<b>English Instructions:</b> (Collection name = D59_5_1)	
<b>Codes:</b> 1= Past Month 2= Past 6 Months 3= Over 6 Months 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>CIQP49ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> COUNT TOTAL NUMBER OF EPISODES RECORDED IN (CIQP33 + CIQP34 + CIQP37 + CIQP38); IF SUM = (0,1) GO TO CIQP58	

<b>CIQP50</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Past 12 months no. weeks attack
<b>English Text:</b> In the past 12 months, about how many weeks out of 52 did you have at least one attack?	
<b>English Instructions:</b> NUMBER OF WEEKS (Collection name = D59_5_A)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQP50ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>

	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQP50= 0 or 1, GO TO CIQP58. ELSE IF (2 <= CIQP50 < 52) GO TO CIQP51. ELSE IF CIQP50=52 GO TO CIQP53ZZ. ELSE IF CIQP50 = (DK,REF) GO TO CIQP52.	

<b>CIQP51</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Single period or two+ periods?
<b>English Text:</b> Was that a single period of (# OF WEEKS IN CIQP50) weeks in a row or was it two or more periods that added up to (# OF WEEKS IN CIQP50) weeks?	
<b>English Instructions:</b> (Collection name = D59_5_B)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= All in a row	CIQP54
2= 2 or more periods	
7= Refused	CIQP54
9= Don't know	CIQP54

<b>CIQP52</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Longest no. weeks in row attack
<b>English Text:</b> In the past 12 months, what's the longest number of weeks in a row when you had at least one attack per week?	
<b>English Instructions:</b> NUMBER OF WEEKS IN A ROW (Collection name = D59_5C)	
<b>Codes:</b>	<b>Skip To Values:</b>
77= Refused	
99= Don't know	

<b>CIQP53ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM

<b>English Text:</b>
<b>English Instructions:</b> COUNT TOTAL NUMBER OF EPISODES RECORDED IN (CIQP33 + CIQP34+ CIQP37 + CIQP38) IF SUM <= CIQP50, GO TO CIQP58. ELSE GO TO CIQP54

<b>CIQP54</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Largest no. attacks any one week
<b>English Text:</b> What's the largest number of attacks you had in any one week during the past 12 months?	
<b>English Instructions:</b> NUMBER OF WEEKS IN A ROW (Collection name = D59_5D)	
<b>Codes:</b> 900= 900 + 7777= Refused 9999= Don't know	<b>Skip To Values:</b>

<b>CIQP54ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> COUNT TOTAL NUMBER OF EPISODES RECORDED IN (CIQP33 + CIQP34+ CIQP37 + CIQP38) IF SUM < 4, GO TO CIQP58; IF (CIQP50>=4 AND CIQP51=1) OR(CIQP52>=4), GO TO CIQP56ZZ; IF CIQP54>=4, GO TO CIQP56ZZ; ELSE GO TO CIQP55	

<b>CIQP55</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Largest no. attack any four weeks
<b>English Text:</b> What's the largest number of attacks you had in any four-week period during the past 12 months?	
<b>English Instructions:</b> NUMBER OF ATTACKS (Collection name = D59_5E)	
<b>Codes:</b>	<b>Skip To Values:</b>

900= 900 +  
7777= Refused  
9999= Don't know

<b>CIQP56ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF (CIQP50 < 4 ) OR (CIQP52 < 4) OR (CIQP54 < 4) OR (CIQP55 < 16) GO TO CIQP58. (Collection name = D59_5E1)	

<b>CIQP57</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Four week in row and four attacks?
<b>English Text:</b> In the past 12 months, did you have a period of four weeks in a row when you had at least four attacks every week?	
<b>English Instructions:</b> (Collection name = D59_5F)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	
<b>Skip To Values:</b>	

<b>CIQP58</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you tell doctor about attack?
<b>English Text:</b> In the past 12 months, did you ever tell a doctor about (one of) your attack(s)?	
<b>English Instructions:</b> (Collection name = D58A)	
<b>Codes:</b>	
<b>Skip To Values:</b>	

1= Yes	CIQPPHA
2= No	

<b>CIQPPA</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you tell other prof about attack?
<b>English Text:</b> Did you tell other professional about attack?	
<b>English Instructions:</b> (Collection name = D58APA1)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> CIQPPD

<b>CIQPPB</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did you take medication for attack?
<b>English Text:</b> Did you take medication for attack?	
<b>English Instructions:</b> (Collection name = D58APA2)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> CIQPPD

<b>CIQPPC</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did attacks interfere with life?
<b>English Text:</b> Did attacks interfere with life?	
<b>English Instructions:</b> (Collection name = D58APA3)	

<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	CIDPPRB
7= Refused	CIDPPRB
9= Don't know	CIDPPRB

<b>CIQPPD</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Were attacks result of phys illness?
<b>English Text:</b> Were attacks result of phys illness?	
<b>English Instructions:</b> (Collection name = D58APB1)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	
7= Refused	
9= Don't know	

<b>CIQPPE</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Were attacks result of MDA?
<b>English Text:</b> Were attacks result of medicine, drugs, or alcohol?	
<b>English Instructions:</b> (Collection name = D58APC1)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	
2= No	CIDPPRB
7= Refused	CIDPPRB
9= Don't know	CIDPPRB

<b>CIQPPF</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>



	Were attacks always result MDA?
<b>English Text:</b> Were attacks always result medicine, drugs, or alcohol?	
<b>English Instructions:</b> (Collection name = D58APC2)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> CIDPPRB CIDPPRB CIDPPRB CIDPPRB

<b>CIQPPHA</b>	<b>Target</b> B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b> Doctor said nerves causing attacks
<b>English Text:</b> Doctor said nerves causing attacks	
<b>English Instructions:</b> (Collection name = D58APD1)	
<b>Codes:</b> 1= Doctor said nerves causing attacks 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQPPHB</b>	<b>Target</b> B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b> Doctor said stress causing attacks
<b>English Text:</b> Doctor said stress causing attacks	
<b>English Instructions:</b> (Collection name = D58APD1)	
<b>Codes:</b> 2= Doctor said stress causing attacks	<b>Skip To Values:</b>

<b>CIQPPHC</b>	<b>Target</b> B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>

	Doctor said anxiety causing attacks
<b>English Text:</b> Doctor said anxiety causing attacks	
<b>English Instructions:</b> (Collection name = D58APD1)	
<b>Codes:</b> 3= Doctor said anxiety causing attacks	<b>Skip To Values:</b>

<b>CIQPPHD</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said depression causing attacks
<b>English Text:</b> Doctor said depression causing attacks	
<b>English Instructions:</b> (Collection name = D58APD1)	
<b>Codes:</b> 4= Doctor said depression causing attacks	<b>Skip To Values:</b>

<b>CIQPPHE</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doc said mental illness causing attacks
<b>English Text:</b> Doc said mental illness causing attacks	
<b>English Instructions:</b> (Collection name = D58APD1)	
<b>Codes:</b> 5= Doc said mental illness causing attacks	<b>Skip To Values:</b>

<b>CIQPPHF</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said medication causing attacks
<b>English Text:</b> Doctor said medication causing attacks	
<b>English Instructions:</b> (Collection name = D58APD1)	
<b>Codes:</b>	<b>Skip To Values:</b>

6= Doctor said medication causing attacks

<b>CIQPPHG</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said drugs causing attacks
<b>English Text:</b> Doctor said drugs causing attacks	
<b>English Instructions:</b> (Collection name = D58APD1)	
<b>Codes:</b> 7= Doctor said drugs causing attacks	<b>Skip To Values:</b>

<b>CIQPPHH</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said alcohol causing attacks
<b>English Text:</b> Doctor said alcohol causing attacks	
<b>English Instructions:</b> (Collection name = D58APD1)	
<b>Codes:</b> 8= Doctor said alcohol causing attacks	<b>Skip To Values:</b>

<b>CIQPPHI</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Doctor said phys illness causing attacks
<b>English Text:</b> Doctor said phys illness causing attacks	
<b>English Instructions:</b> (Collection name = D58APD1)	
<b>Codes:</b> 9= Doctor said phys illness causing attacks	<b>Skip To Values:</b>

<b>CIQPPHJ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>

	Doctor said phys injury causing attacks
<b>English Text:</b> Doctor said phys injury causing attacks	
<b>English Instructions:</b> (Collection name = D58APD1)	
<b>Codes:</b> 10= Doctor said phys injury causing attacks	<b>Skip To Values:</b>

<b>CIQPPHK</b>	<b>Target</b> B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b> Doctor gave no definite diag for attacks
<b>English Text:</b> Doctor gave no definite diagnosis for attacks	
<b>English Instructions:</b> (Collection name = D58APD1)	
<b>Codes:</b> 11= Doctor gave no definite diagnosis for attacks	<b>Skip To Values:</b>

<b>CIQPPHZZ</b>	<b>Target</b> B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b> CHECK ITEM
<b>English Text:</b> IF ANY OF CIQPPHA - CIQPPHE SELECTED THEN SKIP TO CIDPPRB; ELSE IF AND OF CIQPPHI - CIQPPHH SELECTED THEN SKIP TO CIQPPJ; ELSE IF ANY OF CIQPPHI - CIQPPHJ SELECTED THEN SKIP TO CIQPPN; ELSE IF CIQPPHK SELECTED THEN SKIP TO CIQPPQ; ELSE IF REFUSED OR DON'T KNOW THEN SKIP TO CIDPPRB.	
<b>English Instructions:</b>	

<b>CIQPPJ</b>	<b>Target</b> B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b> Were attacks always result MDA?
<b>English Text:</b> Were attacks always result medicine, drugs, or alcohol?	
<b>English Instructions:</b> (Collection name = D58APD3)	

<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	CIDPPRB
2= No	
7= Refused	
9= Don't know	

<b>CIQPPK</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Were attacks result of phys illness?
<b>English Text:</b> When attacks were not result of medicine, drugs, or alcohol, were attacks result of physical illness?	
<b>English Instructions:</b> (Collection name = D58APD4)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Yes	CIDPPRB
2= No	CIDPPRB
7= Refused	CIDPPRB
9= Don't know	CIDPPRB

<b>CIQPPQ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Anything abnormal when exam?
<b>English Text:</b> Anything abnormal when exam?	
<b>English Instructions:</b> (Collection name = D58APD10)	
<b>Codes:</b>	<b>Skip To Values:</b>
1= Nothing abnormal	CIDPPRB
2= No examination	CIDPPRB
5= Something abnormal	
7= Refused	CIDPPRB
9= Don't know	CIDPPRB

<b>CIQPPN</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)

Hard Edits	SAS Label
	Were attacks always result phys ill?
<b>English Text:</b> Were attacks always result of physical illness?	
<b>English Instructions:</b> (Collection name = D58APD7)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> CIDPPRB

CIQPPPO	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	Were attacks always result MDA?
<b>English Text:</b> When attacks were not due to physical illness, were attacks always result of medicine, drugs, or alcohol?	
<b>English Instructions:</b> (Collection name = D58APD8)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>

CIDPPRB	Target
	B(20 Yrs. to 39 Yrs.)
Hard Edits	SAS Label
	General cause of problem
<b>English Text:</b> General cause of problem	
<b>English Instructions:</b> (Collection name = D58APRB)	
<b>Codes:</b> 1= No Problem 2= Not clinically significant 3= Medication, Drugs, or Alcohol	<b>Skip To Values:</b>

4= Physical cause  
5= Psychiatric Symptom

<b>CIQP59</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Attacks interfere with daily life?
<b>English Text:</b> There are three ways in which attacks of the sort we have been discussing can affect a person's life and activities. First, the attacks themselves can be incapacitating. Second, worry about having additional attacks can get in the way of daily activities. And, third, avoiding certain situations for fear of having additional attacks can interfere with daily activities. Think about all three of these ways in which your life and activities were affected in the past 12 months. Did these things interfere with your life or activities -- a lot, some, a little, or not at all?	
<b>English Instructions:</b> (Collection name = D62)	
<b>Codes:</b> 1= A lot 2= Some 3= A little 4= Not at all 7= Refused 9= Don't know	<b>Skip To Values:</b>      CIDPSCOR

<b>CIQP60</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days totally unable work
<b>English Text:</b> About how many days in the past 12 months were you totally unable for the whole day to work and carry out your other normal activities because of these problems? You can answer with any number between 0 and 365.	
<b>English Instructions:</b> (Collection name = D62A)	
<b>Codes:</b> 777= Refused 999= Don't know	<b>Skip To Values:</b>

<b>CIQP60ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQP60 = 0 GO TO CIQP63. IF CIQP60 = 1, GO TO CIQP61. ELSE GO TO CIQP62	

<b>CIQP61</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did totally occur past 4 weeks?
<b>English Text:</b> Did that day occur in the past four weeks?	
<b>English Instructions:</b> (Collection name = D62A_1)	
<div> <b>Codes:</b> <div> 1= Yes  2= No  7= Refused  9= Don't know </div> </div> <div> <b>Skip To Values:</b> </div>	

<b>CIQP61ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> GO TO CIQP63	

<b>CIQP62</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days totally past 4 weeks
<b>English Text:</b> How many of these (# FROM CIQP60) days were in the past four weeks?	
<b>English Instructions:</b> (Collection name = D62A_2)	



<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>
--	------------------------

<b>CIQP63</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days cutback amount/quality
<b>English Text:</b> [Not counting the day(s) you were totally unable to work,] about how many (other) days in the past 12 months did you cut back either on the amount of work you got done or on the quality of your work because of the problems associated with attacks? (Again, you can use any number between 0 and 365.)	
<b>English Instructions:</b> (Collection name = D62B)	
<b>Codes:</b> 777= Refused 999= Don't know	<b>Skip To Values:</b>

<b>CIQP63ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQP63 = 0, GO TO CIQP67. ELSE GO TO CIQP64.	

<b>CIQP64</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Describe quantity/quality cutback
<b>English Text:</b> Thinking about (that cutback day/those # FROM CIQP63 cutback days), on a scale from 0 to 100 where zero means being totally unable to work and 100 means working a full high quality day, what number describes the quantity and quality of your work during (that day/those # FROM D62b days)? You can use any number between 0 and 100.	
<b>English Instructions:</b> (Collection name = D62C)	
<b>Codes:</b>	<b>Skip To Values:</b>

777= Refused  
999= Don't know

<b>CIQP64ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQP63 = 1, GO TO CIQP65. ELSE GO TO CIQP66	

<b>CIQP65</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did cutback occur past 4 weeks?
<b>English Text:</b> Did that cutback day occur in the past four weeks?	
<b>English Instructions:</b> (Collection name = D62C_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b> CIQP67 CIQP67 CIQP67 CIQP67

<b>CIQP66</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days cutback past 4 weeks
<b>English Text:</b> How many of these (# FROM CIQP63) cutback days occurred in the past four weeks?	
<b>English Instructions:</b> (Collection name = D62C_2)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIQP67</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days extreme effort to work
<b>English Text:</b> . [Not counting the day(s) (you were totally unable to work)/(or)/(you cut back on work),] about how many (other) days in the past 12 months did it take an extreme effort to perform up to your usual level at work or at your other normal daily activities because of problems associated with attacks? (Again, you can use any number between 0 and 365.)	
<b>English Instructions:</b> (Collection name = D62C_3)	
<b>Codes:</b> 777= Refused 999= Don't know	
<b>Skip To Values:</b>	

<b>CIQP67ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQP67 = 0 GO TO CIQP70. IF CIQP67 = 1, GO TO CIQP68. ELSE GO TO CIQP69	

<b>CIQP68</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Did extreme occur past 4 weeks?
<b>English Text:</b> Did that day occur in the past four weeks?	
<b>English Instructions:</b> (Collection name = D62C_3_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	
<b>Skip To Values:</b>	

<b>CIQP69</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days extreme past 4 weeks
<b>English Text:</b> How many of these (# FROM CIQP67) days occurred in the past four weeks?	
<b>English Instructions:</b> (Collection name = D62C_3_2)	
<b>Codes:</b> <div>77= Refused</div> <div>99= Don't know</div>	
<b>Skip To Values:</b>	

<b>CIQP70</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days interfere personal life
<b>English Text:</b> And about how many days in the past 12 months did these problems seriously interfere with your personal or social life? (Again, you can use any number between 0 and 365.)	
<b>English Instructions:</b> (Collection name = D62D)	
<b>Codes:</b> <div>777= Refused</div> <div>999= Don't know</div>	
<b>Skip To Values:</b>	

<b>CIQP70ZZ</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	CHECK ITEM
<b>English Text:</b>	
<b>English Instructions:</b> IF CIQP70 = 0, GO TO GAD SECTION. IF CIQP70 = 1, GO TO CIQP71. ELSE GO TO CIQP72	

<b>CIQP71</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>

	Did interfere occur past 4 weeks?
<b>English Text:</b> Did that day occur in the past four weeks?	
<b>English Instructions:</b> (Collection name = D62D_1)	
<b>Codes:</b> 1= Yes 2= No 7= Refused 9= Don't know	<b>Skip To Values:</b>

<b>CIQP72</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	No. days interfere past 4 weeks
<b>English Text:</b> How many of these (# FROM CIQP70) days occurred in the past four weeks?	
<b>English Instructions:</b> (Collection name = D62D_2)	
<b>Codes:</b> 77= Refused 99= Don't know	<b>Skip To Values:</b>

<b>CIDPSCOR</b>	<b>Target</b>
	B(20 Yrs. to 39 Yrs.)
<b>Hard Edits</b>	<b>SAS Label</b>
	Panic Score
<b>English Text:</b> Panic Score	
<b>English Instructions:</b> (Collection name = PDIS)	
<b>Codes:</b> 1= Positive Diagnosis 5= Negative Diagnosis	<b>Skip To Values:</b>